

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

exerne
7280.3479
134P

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
September 1962

November 6, 1962

Inspected Poultry

The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U. S. D. A. during September 1962 amounted to 163,152,000, compared with 179,998,000 in September 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 138,840,000 head, 473,543,000 pounds; mature chickens, 11,585,000 head, 55,772,000 pounds; fryer-roaster turkeys, 1,283,000 head, 10,774,000 pounds; young turkeys, 10,449,000 head, 193,592,000 pounds; old turkeys, 44,000 head, 776,000 pounds; and ducks 951,000 head, 6,052,000 pounds.

Certified Poultry

The quantity of poultry certified as wholesome in September 1962 totaled 549,180,000 pounds ready-to-cook weight of which 341,654,000 pounds were iced and 207,526,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 343,530,000 pounds; mature chickens, 37,868,000 pounds; fryer-roaster turkeys, 8,296,000 pounds; young turkeys, 154,246,000 pounds; old turkeys, 615,000 pounds; ducks, 4,226,000 pounds; and other poultry, 399,000 pounds.

Canned and Processed Poultry

Poultry inspected and used for canning and other processed food in September 1962 totaled 38,785,000 pounds ready-to-cook weight, compared with 33,588,000 pounds in September 1961. The quantity used in September 1962 consisted of 6,861,000 pounds of young chickens, 16,320,000 pounds of mature chickens, 13,739,000 pounds of turkeys, and 1,865,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,455,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.22 percent; mature chickens, 0.30 percent; fryer-roaster turkeys, 0.13 percent; young turkeys, 0.12 percent; old turkeys, 0.06 percent; and ducks, 0.01 percent.

Post-mortem condemnations in September 1962 amounted to 11,458,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.68 percent; mature chickens, 2.95 percent; fryer-roaster turkeys, 1.73 percent; young turkeys, 1.48 percent; old turkeys, 2.01 percent; and ducks 1.43 percent. In September 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.69 percent; mature chickens, 2.82 percent; fryer-roaster turkeys, 1.96 percent; young turkeys, 1.52 percent; old turkeys, 1.90 percent; and ducks, 2.60 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

U. S. DEPT. OF AGRICULTURE

Crop Reporting Board

Pou 2-1 (11-62)

NATIONAL AGRICULTURAL LIBRARY

Washington, D. C.

NOV 2 1962

CURRENT SERIAL RECORDS

Poultry: Slaughtered under Federal inspection, September 1962 with comparisons

Class	Number inspected				Pounds inspected (live weight)				Average live weight			
	August		September		Aug.		September		Aug.		Sept.	
	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961
	Thou.	Thou.	Thou.	Thou.	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	171,561	150,429	138,840	1,347,167	1,339,699	573,065	512,724	473,543	4,585,313	4,546,007	3,341	3,441
Mature chickens	9,927	15,436	11,585	77,805	77,258	47,088	75,642	55,772	384,908	377,627	4,74	4,81
Total chickens	181,488	165,865	150,425	1,424,972	1,416,957	620,153	588,366	529,315	4,970,221	4,923,634	3,42	3,52
Fryer-roasters	1,512	1,656	1,283	12,032	9,413	12,904	13,369	10,774	103,588	81,031	8,53	8,40
Young turkeys	8,184	11,392	10,449	35,330	28,277	136,768	211,402	193,592	615,216	502,456	16,71	18,53
Old turkeys	182	83	44	3,185	2,424	2,758	1,351	776	60,486	46,097	15,15	16,28
Total turkeys	9,878	13,131	11,776	50,547	40,114	152,430	226,122	205,142	779,290	629,584	15,43	17,22
Ducks	1,213	1,002	951	7,766	7,322	7,617	6,188	6,052	48,817	46,754	6,28	6,18
Other poultry	---	---	---	---	---	308	772	559	2,215	2,003	---	---
Total poultry	---	---	---	---	---	780,508	821,448	741,068	5,800,975	5,601,975	---	---

Pounds certified (ready-to-cook weights)

Class	August 1962				September 1962				January-September 1961				January-September 1962			
	Iced		Frozen		Iced		Frozen		Iced		Frozen		Iced		Frozen	
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	371,300	44,387	415,687	333,305	39,674	372,979	302,581	40,949	343,530	3,001,849	317,885	3,319,734	2,924,648	362,397	3,287,045	3,287,045
Mature chickens	20,906	10,995	31,901	33,911	17,679	51,590	24,731	13,137	37,868	177,671	88,632	266,303	173,715	85,986	259,701	259,701
Total chickens	392,206	55,382	447,588	367,216	57,353	424,569	327,312	54,086	381,398	3,179,520	406,517	3,586,037	3,098,363	448,383	3,546,746	3,546,746
Fryer-roasters	2,643	7,314	9,957	3,019	7,229	10,248	1,939	6,357	8,296	17,966	62,567	80,533	15,312	47,662	62,974	62,974
Young turkeys	8,097	101,237	109,334	9,642	158,427	168,069	12,244	142,002	154,246	40,887	450,183	491,070	38,759	362,115	400,874	400,874
Old turkeys	88	2,106	2,194	61	1,018	1,079	69	546	615	4,021	44,800	48,821	3,325	33,154	36,479	36,479
Total turkeys	10,828	110,657	121,485	12,722	166,674	179,396	14,252	148,905	163,157	62,874	557,550	620,424	57,396	442,931	500,327	500,327
Ducks	59	5,299	5,358	151	4,225	4,376	85	4,141	4,226	1,297	33,047	34,344	1,040	31,914	32,954	32,954
Other poultry	3	180	183	3	584	587	5	394	399	27	1,518	1,545	18	1,171	1,189	1,189
Total poultry	403,096	171,518	574,614	380,092	228,836	608,928	341,654	207,526	549,180	3,243,718	998,632	4,242,350	3,156,817	924,399	4,081,216	4,081,216

Poultry: Condemnations of poultry slaughtered under Federal Inspection, September 1962 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight):			Pounds (live weight):			Pounds (N.Y. dressed wt.):			Pounds (N.Y. dressed wt.):		
	September	1961	1962	September	1961	1962	September	1961	1962	September	1961	1962
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,203	1,033	0.33	0.22	10,543	10,829	7,801	7,132	1.69	1.68	77,141	88,720
Total chickens	265	166	.35	.30	1,273	1,315	1,914	1,477	2.82	2.95	8,951	8,843
	1,468	1,199	.25	.23	11,816	12,144	9,715	8,609	1.84	1.81	86,092	97,563
Fryer-roasters	20	14	.15	.13	175	221	236	168	1.96	1.73	1,285	1,026
Young turkeys	272	241	.13	.12	771	665	2,892	2,584	1.52	1.48	7,375	6,613
Old turkeys	2	1	.18	.06	85	65	23	14	1.90	2.01	1,038	844
Total turkeys	294	256	.13	.12	1,031	951	3,151	2,766	1.55	1.50	9,698	8,483
Ducks 3/	3	---	.04	.01	40	6	145	78	2.60	1.43	935	552
Other poultry 3/	1	---	.11	.08	2	4	10	5	1.44	.99	20	14
Total	1,766	1,455	.21	.20	12,889	13,105	13,021	11,458	1.77	1.72	96,745	106,612

Poultry: Inspected for canning and other processed foods, September 1962 with comparisons 4/

Class	Pounds used ready-to-cook weight						Pounds condemned ready-to-cook weight					
	August			September			August			September		
	1962	1961	1962	1961	1962	1962	1962	1961	1962	1961	1962	1962
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	10,159	6,074	6,861	59,059	64,980	20	12	9	64	65	65	65
	17,835	15,449	16,320	161,195	154,881	22	5	34	100	149	149	149
Turkeys	12,595	9,910	13,739	69,221	96,799	9	1	10	29	55	55	55
Other poultry 5/	2,302	2,155	1,865	27,830	27,038	5	3	4	31	32	32	32
Total	42,891	33,588	38,785	317,305	343,698	56	21	57	224	301	301	301

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)

5/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, September 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		1961	1962	1961	1962	1961	1962	1961	1962
		Thou.	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent
N. Atl.	12,731	11,490	48,462	44,549	3.81	34,693	31,812	665	1.55
E. N. Cent.	4,700	2,838	16,618	9,860	3.54	12,134	7,193	88	1.16
W. N. Cent.	5,940	4,015	19,996	13,636	3.37	14,657	9,888	162	1.97
S. Atl.	61,655	58,233	208,926	198,808	3.39	153,325	145,349	2,878	1.32
S. Cent.	62,008	58,904	206,527	194,930	3.33	149,387	140,843	3,125	1.49
West.	3,395	3,360	12,195	11,760	3.59	8,783	8,445	214	1.94
U. S.	150,429	138,840	512,724	473,543	3.41	372,979	343,530	7,132	1.95
Maine	4,960	4,636	19,421	18,141	3.92	14,134	13,321	297	1.69
Mass.	437	452	1,770	1,776	4.05	1,268	1,262	32	1.76
Conn.	873	776	3,256	2,702	3.73	2,121	1,817	44	2.68
Pa.	5,434	5,067	20,154	19,792	3.71	14,526	14,155	277	1.28
Ohio	1,376	666	4,838	2,350	3.91	4,526	1,723	22	1.38
Ind.	1,736	1,036	5,776	3,316	3.52	3,552	2,411	56	1.56
Ill.-Mich. 3/	215	211	960	784	3.33	4,211	2,411	23	1.04
Wis.	1,373	925	5,044	3,410	4.47	694	559	12	1.08
Minn.	861	693	3,044	2,536	3.67	3,677	2,500	42	1.39
Iowa	182	126	1,156	681	3.53	2,252	1,920	55	.94
Mo.	4,768	3,167	15,368	10,330	6.37	863	495	5	2.01
Del.	6,190	6,178	22,376	23,521	3.22	11,215	7,405	128	.55
Md.	8,804	7,605	31,586	28,804	3.61	16,550	17,383	269	1.73
Va.	4,443	3,933	13,790	12,048	3.59	22,774	20,782	361	2.09
N. C.	14,263	15,142	48,361	51,198	3.10	9,782	8,651	114	1.34
S. C.	1,336	1,365	4,399	4,607	3.38	3,177	3,237	231	1.53
Ga.	25,479	23,196	84,790	75,963	3.39	35,548	37,628	514	1.87
Ky.	2,142	1,914	7,315	6,369	3.27	62,819	55,712	56	1.18
Tenn.	4,868	4,238	16,655	14,272	3.41	5,172	4,529	67	1.64
Ala.	15,205	13,679	51,270	45,878	3.37	12,147	10,539	58	.88
Miss.	10,803	10,232	35,918	32,962	3.42	37,652	33,412	284	1.89
Ark.	18,964	18,609	62,302	61,785	3.32	26,240	24,127	1,010	2.19
La.-Okla. 3/	2,428	2,519	8,192	8,335	3.22	44,341	43,862	569	1.76
Texas	7,598	7,713	24,875	25,329	3.32	5,925	6,113	1,130	2.02
Idaho	279	320	999	1,105	3.31	17,910	18,261	174	2.36
Utah 4/ 5/	39	608	1,59	2,151	3.27	716	820	368	1.65
Wash.	459	913	1,630	2,151	3.58	119	1,528	9	.96
Oreg. 5/	265	2401	8,479	8,397	4.12	1,158	1,528	14	.54
Calif.	2,349	2,401	8,479	8,397	3.44	662	6,016	8	.94
					3.61	6,117	6,016	183	.93
					3.50			192	2.54

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data. 3/ Combined to avoid disclosure of individual operations. 4/ Dashes mean less than 500 pounds.

5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, September 1962

Region and State	Tuber-: leu- : culosis: cosis		Septil-: Airtsac-: Inflam- : cemia : culitis: matory		Tumors: Para-: Bruises : sites:		Cadaver : ination		Contam-: Over-: Decom- : ination : scald : position:		Other : : Total			
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		
N. Atl.	---	37,503	60,197	28,188	18,301	686	11	1,934	4,258	7,399	570	147	218	159,412
E. N. Cent.	4	1,647	6,314	7,140	1,975	153	14	664	2,132	2,587	650	---	3,104	26,384
W. N. Cent.	2	1,678	15,354	12,498	5,238	255	---	1,088	2,756	4,182	192	1	4,509	47,753
S. Atl.	---	104,860	105,802	238,390	37,210	2,600	176	7,503	38,936	54,091	5,082	1,591	287,195	883,436
S. Cent.	---	54,238	117,090	366,928	24,783	3,773	70	10,779	48,626	62,788	5,819	5,148	189,471	889,513
West.	3	1,932	19,095	28,249	4,539	1,502	1	863	1,457	3,558	496	25	9,131	70,851
U. S.	9	201,858	323,852	681,393	92,046	8,969	272	22,831	98,165	134,605	12,809	6,912	493,628	2,077,349
Maine	---	11,484	22,373	10,690	9,789	231	---	1,033	1,600	3,494	115	---	167	60,976
Mass.	---	1,368	4,620	652	943	91	1	213	226	496	55	---	32	8,697
Conn.	---	4,614	4,545	889	1,084	38	---	51	90	1,126	7	---	1	12,445
Pa.	---	18,745	26,961	15,696	5,829	270	10	482	2,178	1,867	392	146	17	72,593
Ohio	4	220	835	1,865	766	27	---	110	512	457	100	---	2,407	7,303
Ind.	---	994	2,630	1,477	412	39	3	140	281	478	103	---	116	6,673
Ill.-Mich. 1/	---	155	677	429	102	4	---	57	657	1,156	434	---	---	3,671
Wis.	---	278	2,172	3,369	695	83	11	357	682	496	13	---	581	8,737
Minn.	---	61	783	705	390	82	---	93	653	333	18	---	1,843	4,961
Iowa	2	111	537	633	163	10	---	23	20	231	5	---	583	2,318
Mo.	---	1,504	14,010	11,149	4,676	158	---	949	2,079	3,533	169	1	2,010	40,238
Del.	---	38,086	28,971	22,696	9,069	710	18	528	2,884	2,625	241	1	63	105,892
Md.	---	28,887	28,092	12,731	7,464	725	153	960	5,351	3,739	1,669	18	6,189	95,978
Va.	---	8,030	17,967	6,046	4,241	36	---	205	779	1,268	198	56	462	39,288
N. C.	---	9,127	10,968	53,781	6,642	511	3	2,637	11,177	12,522	860	99	92,258	200,585
S. C.	---	190	416	19,288	94	6	---	255	1,339	2,108	203	20	14,137	38,056
Ga.	---	19,147	18,493	118,468	9,497	592	---	2,825	16,999	31,211	1,909	1,397	169,910	390,448
Ky.	---	790	4,814	4,934	766	55	---	872	2,201	1,932	310	---	3,667	20,341
Tenn.	---	4,179	3,098	6,432	430	50	---	576	5,257	9,070	493	56	23,955	53,596
Ala.	---	9,806	5,273	110,213	404	314	---	1,302	8,726	12,941	871	138	69,595	219,583
Miss.	---	14,655	13,174	55,970	306	431	7	1,755	5,459	12,445	825	355	44,527	149,909
Ark.	---	11,163	52,727	142,009	12,918	1,308	5	3,406	19,493	12,926	2,246	4,457	40,487	303,145
La.-Okla. 1/	---	2,984	12,312	12,916	2,228	465	---	889	1,455	3,480	292	9	232	37,262
Texas	---	10,661	25,692	34,454	7,731	1,150	58	1,979	6,035	9,994	782	133	7,008	105,677
Idaho	3	40	675	602	23	34	---	123	216	144	188	---	343	2,391
Wash.	---	163	1,793	264	262	11	---	47	211	282	24	24	645	3,726
Calif.	---	1,678	16,585	27,375	4,248	1,439	1	687	1,017	3,132	284	1	8,143	64,590

1/ Combined to avoid disclosure of individual operations.

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations	
		1961	1962	1961	1962	1961	1962	1961	1962
		Thou.	Thou.	Pounds	Pounds	pounds	pounds	pounds	Percent
				1,000	1,000	1,000	1,000	1,000	
N. Atl.	2,128	2,126	10,958	10,949	5.15	7,289	7,537	187	1.90
E. N. Cent.	2,300	1,704	10,186	7,431	4.43	6,883	5,098	233	2.55
W. N. Cent.	6,212	4,601	27,587	20,059	4.44	18,379	13,186	883	3.57
S. Atl.	2,180	1,518	13,120	8,836	6.02	9,394	6,267	256	2.17
S. Cent.	1,683	760	9,625	4,516	5.72	6,816	3,147	233	2.70
West.	933	876	4,166	3,981	4.47	2,829	2,633	122	3.26
U. S.	15,436	11,585	75,642	55,772	4.90	51,590	37,868	1,914	2.82
Maine	379	349	2,462	2,151	6.50	1,751	1,589	46	2.06
Conn. 3/	69	---	432	---	6.29	292	---	7	1.88
N. Y.	189	195	840	883	4.45	581	616	13	1.62
N. J.	871	717	3,497	2,815	4.01	2,043	1,753	66	2.11
Pa.	212	365	1,206	2,053	5.63	859	1,419	13	1.23
Ohio	559	384	2,561	1,678	4.59	1,748	1,151	65	2.85
Ind.	829	479	3,666	2,151	4.42	2,355	1,481	74	2.23
Ill.	679	623	2,920	2,618	4.30	2,394	1,776	80	3.06
Mich.	27	37	135	161	4.98	88	103	3	2.26
Wis.	206	181	904	823	4.39	298	587	11	3.37
Minn.	3,019	2,074	12,939	8,747	4.29	8,466	5,692	504	1.35
Iowa	822	659	3,566	2,852	4.34	2,480	1,915	28	4.35
Mo.	830	797	4,195	3,870	4.86	2,981	2,607	79	2.83
N. Dak.-S. Dak. 4/	328	218	1,524	923	5.05	988	623	84	2.45
Nebr.	1,149	846	5,002	3,614	4.65	3,221	2,311	54	3.94
Kans. 3/	64	---	361	---	5.64	243	---	141	3.14
Del.	63	50	452	371	7.13	321	266	9	2.77
Md. 3/	507	---	2,085	---	7.48	1,432	---	6	1.59
Va.	191	127	1,227	752	6.41	875	---	49	2.62
N. C.	505	393	3,258	2,468	6.45	2,333	533	28	2.57
S. C.	37	25	244	169	6.56	175	1,746	60	2.08
Ga.	852	483	5,725	3,262	6.72	4,169	123	6	2.95
Ky. 3/	43	---	319	---	6.72	2,332	---	105	2.04
Tenn.	155	155	1,907	1,015	7.41	229	---	3	1.12
Ala.	566	147	2,706	922	6.12	1,330	700	36	2.11
Miss.	121	76	828	466	4.78	1,973	660	63	2.61
Ark.	263	89	1,586	672	6.83	582	345	18	2.37
La.-Okla. 4/	181	56	1,137	336	6.04	1,113	462	43	3.03
Texas	198	169	1,142	772	6.28	805	229	34	3.33
Idaho	14	13	71	77	5.78	784	525	36	3.57
Utah	40	50	147	184	5.04	49	54	2	2.67
Wash.	91	104	399	473	3.71	106	131	1	1.37
Oreg. 3/	30	---	142	---	4.39	307	---	11	3.05
Calif.	753	693	3,389	3,198	4.76	100	---	3	3.03
					4.50	2,304	2,107	104	3.39

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, September 1962

Region and State	Tuber- culosis		Leu- cemia		Septi- cemia		Airsac- culitis		Inflam- matory		Tumors		Para- sites		Bruises		Cadaver: infection		Contam- ination		Over- decomp-	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	295	4,237	15,433	453	7,851	4,688	12	469	971	1,970	191	53	74	36,697								
E. N. Cent.	7,115	7,340	16,635	88	5,182	7,370	158	1,505	1,409	3,760	142	311	4,245	55,260								
W. N. Cent.	42,362	10,480	31,722	803	20,845	11,865	775	2,262	3,064	7,072	1,378	34	34,160	166,822								
S. Atl.	17	1,902	9,861	211	5,030	2,040	4	517	1,309	2,361	215	8	16,505	39,980								
S. Cent.	96	1,843	9,771	566	4,316	1,889	122	353	542	3,971	81	56	7,914	31,520								
West.	---	712	12,075	189	4,471	6,781	21	1,150	641	1,611	166	37	5,717	33,571								
U.S.	49,885	26,514	95,497	2,310	47,695	34,633	1,092	6,256	7,936	20,745	2,173	499	68,615	363,850								
Maine	---	747	1,620	411	1,912	181	---	46	93	613	6	---	---	5,629								
N.Y.	5	333	1,293	2	743	593	---	126	320	105	97	19	---	3,636								
N.J.	195	1,774	6,326	14	1,809	2,548	1	76	365	450	42	21	---	13,621								
Pa.	94	444	3,396	22	1,429	553	3	104	88	508	24	7	---	6,672								
Ohio	946	1,848	2,399	12	2,131	1,663	109	156	384	932	51	10	2,561	13,202								
Ind.	1,040	2,574	6,577	29	310	2,285	20	222	390	565	18	---	1,323	15,353								
Ill.	3,384	1,126	6,461	30	821	1,863	23	816	431	2,053	65	301	248	17,622								
Mich.	10	82	363	11	97	211	5	259	92	47	2	---	63	1,242								
Wis.	1,735	1,710	835	6	1,823	1,348	1	52	112	163	6	---	50	7,841								
Minn.	13,345	3,145	9,819	79	7,804	7,138	201	1,051	1,652	3,244	1,161	---	25,538	74,177								
Iowa	4,019	1,526	6,881	6	1,896	841	87	294	519	1,061	30	---	4,284	21,444								
Mo.	1,862	1,639	7,470	676	3,137	1,776	225	402	549	1,034	34	1	2,450	21,255								
N.Dak.-S.Dak. 1/	4,576	1,048	2,252	16	1,585	1,001	7	148	190	283	5	---	584	11,695								
Nebr.	18,560	3,117	5,241	23	6,412	1,098	255	362	154	1,429	148	33	1,304	38,136								
Del.	---	182	588	13	248	129	---	6	43	41	7	---	---	1,257								
Va.	---	208	1,669	9	917	417	---	10	34	114	1	---	---	3,379								
N.C.	---	111	763	26	356	149	4	84	482	872	53	---	6,700	9,600								
S.C.	---	9	25	4	18	12	---	3	30	82	4	4	446	637								
Ga.	---	292	1,005	158	534	735	---	64	301	991	4	4	8,811	12,899								
Tenn.	---	326	3,794	193	860	136	---	104	139	1,205	64	14	2,305	9,140								
Ala.	---	54	181	193	68	106	3	12	108	231	7	---	1,962	2,925								
Miss.	---	127	713	23	113	43	---	31	63	463	2	6	231	1,815								
Ark.	---	102	1,556	91	593	157	4	36	51	768	2	7	732	4,099								
La.-Okla. 1/	44	212	1,058	4	1,037	356	115	23	95	244	2	---	46	3,236								
Texas	50	1,017	2,431	32	1,625	264	---	135	76	902	4	29	1,263	7,828								
Idaho	---	77	191	2	12	35	---	12	5	45	---	---	41	420								
Utah	---	102	151	7	39	55	---	7	14	286	5	---	---	381								
Wash.	---	144	1,353	3	316	464	---	16	21	286	10	3	1,198	3,814								
Calif.	---	333	10,048	177	4,046	6,214	19	1,084	587	1,272	149	34	4,478	28,441								

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, September 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations	
		(live weight)		inspected 1/		(ready-to-cook wt.)		Pounds (NYD):	
		1961	1962	1961	1962	1961	1962	1961	1962
Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	pounds	Percent
N. Atl.	232	3,886	3,068	16.75	18.94	3,106	2,422	28	13
E.N. Cent.	1,462	27,349	26,502	18.71	18.56	21,787	21,311	271	204
W.N. Cent.	4,889	89,551	75,211	18.32	18.28	71,572	60,274	1,195	840
S. Atl.	615	10,028	9,482	16.31	16.69	7,900	7,443	141	179
S. Cent.	1,328	24,111	22,844	18.16	17.74	18,723	18,004	340	303
West	2,866	56,477	56,485	19.71	19.56	44,981	44,792	917	1,045
U.S.	11,392	211,402	193,592	18.56	18.53	168,069	154,246	2,892	2,584
Pa.	184	3,010	2,387	16.40	19.07	2,451	1,929	20	11
Ohio	230	4,349	3,328	18.90	19.06	3,467	2,687	25	16
Ind.	499	9,367	9,029	18.78	18.98	7,548	7,349	115	72
Ill.-Mich. 3/	281	5,612	6,055	19.97	19.35	4,462	4,842	62	53
Wis.	452	8,021	8,090	17.75	17.44	6,310	6,433	69	63
Minn.	1,922	42,407	34,844	17.68	18.13	34,047	28,029	662	401
Iowa	1,027	19,689	18,765	19.17	18.87	15,760	15,080	203	221
Mo.	664	12,822	8,726	19.31	17.84	9,974	6,911	197	99
N.Dak.-S.Dak. 3/	238	4,379	3,740	18.40	17.81	3,521	3,028	24	27
Nebr.	368	7,149	6,733	18.62	18.31	5,829	5,309	66	55
Kans.	178	3,105	2,403	17.44	18.34	2,441	1,917	43	37
Va.	204	2,816	3,131	13.79	16.00	2,076	2,306	75	129
N.C.	268	4,738	4,400	17.69	18.18	3,840	3,551	43	39
S.C.	53	968	537	18.18	18.51	781	439	6	3
Ga.	55	1,028	888	18.56	16.06	830	731	11	5
Ky. 4/	179	3,204	---	17.89	---	2,496	---	54	---
Ark.	366	6,762	5,801	18.50	17.62	5,151	4,573	98	75
Okl.	203	3,506	4,948	17.28	17.18	2,727	3,900	49	75
Texas	535	9,877	8,210	18.45	17.47	7,776	6,516	133	109
Colo.	295	5,864	4,402	19.87	19.25	4,705	3,542	26	33
Utah	575	11,290	11,178	19.63	19.62	9,141	8,997	137	105
Wash. 4/	60	1,283	---	21.21	---	980	---	18	---
Oreg. 4/	250	---	5,127	---	20.48	---	4,071	---	70
Calif.	1,687	32,920	34,091	19.51	19.52	26,105	26,823	649	820

1/Average weight based on unrounded data.

2/Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/Combined to avoid disclosure of individual operations.

4/Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, September 1962

Region and State	Tuber- culosis		Leu- cosis		Septi- cemia		Airsac- culitis		Inflam- matory		Tumors		Para- sites		Bruises		Cadaver inflation		Over- decom- position		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	9	361	31	88	4	---	14	43	36	1	---	---	---	---	---	---	---	---	---	6	---	593	
E. N. Cent.	---	72	3,125	3,215	735	8	4	114	454	417	114	8	---	---	---	---	---	---	---	---	1,790	---	10,056	
W. N. Cent.	19	458	16,552	17,496	4,393	62	3	622	1,397	1,758	814	33	---	---	---	---	---	---	---	---	6,168	---	49,775	
S. Atl.	---	166	2,757	5,562	1,092	6	---	34	140	172	24	2	---	---	---	---	---	---	---	---	1,264	---	11,219	
S. Cent.	---	71	7,792	5,469	2,256	65	1	121	210	625	12	---	---	---	---	---	---	---	---	---	1,387	---	18,009	
West	---	47	14,629	20,444	12,846	52	120	969	594	2,234	144	34	---	---	---	---	---	---	---	---	8,367	---	60,480	
U. S.	19	823	45,216	52,217	21,410	197	128	1,874	2,838	5,242	1,109	77	---	---	---	---	---	---	---	---	18,982	---	150,132	
Pa.	---	4	275	26	31	3	---	11	25	19	1	---	---	---	---	---	---	---	---	---	6	---	401	
Ohio	---	4	214	116	166	2	---	7	47	55	1	---	---	---	---	---	---	---	---	---	175	---	787	
Ind.	---	11	1,535	1,158	82	---	1	36	43	146	11	---	---	---	---	---	---	---	---	---	317	---	3,340	
Ill.-Mich. 1/	---	38	687	1,162	78	3	3	25	135	108	85	8	---	---	---	---	---	---	---	---	222	---	2,554	
Wis.	---	19	689	779	409	3	---	46	229	108	17	---	---	---	---	---	---	---	---	---	1,076	---	3,375	
Minn.	19	202	5,308	9,167	2,810	22	1	316	560	860	290	1	---	---	---	---	---	---	---	---	4,810	---	24,366	
Iowa	---	188	7,094	4,039	415	17	---	92	288	343	385	21	---	---	---	---	---	---	---	---	411	---	13,293	
Mo.	---	6	1,538	2,521	791	6	---	36	237	302	56	---	---	---	---	---	---	---	---	---	520	---	6,013	
N. Dak.-S. Dak. 1/	---	---	687	666	53	1	---	28	164	24	28	5	---	---	---	---	---	---	---	---	29	---	1,685	
Nebr.	---	56	977	680	256	16	2	119	45	155	36	3	---	---	---	---	---	---	---	---	398	---	2,743	
Kans.	---	6	948	423	68	---	---	31	103	74	19	3	---	---	---	---	---	---	---	---	---	---	1,675	
Va.	---	159	1,939	5,416	440	1	---	4	94	25	---	---	---	---	---	---	---	---	---	---	---	---	8,080	
N. C.	---	1	499	108	438	4	---	26	30	109	15	---	---	---	---	---	---	---	---	---	1,181	---	2,411	
S. C.	---	1	48	10	30	---	---	3	8	23	1	---	---	---	---	---	---	---	---	---	83	---	207	
Ga.	---	---	128	8	144	1	---	1	3	12	6	---	---	---	---	---	---	---	---	---	---	---	303	
Ark.	---	11	1,456	1,513	131	2	---	16	42	83	---	---	---	---	---	---	---	---	---	---	842	---	4,096	
Okla.	---	15	1,492	2,225	427	4	1	24	35	283	3	---	---	---	---	---	---	---	---	---	2	---	4,511	
Texas	---	45	3,517	1,149	1,432	56	---	31	81	141	7	---	---	---	---	---	---	---	---	---	488	---	6,947	
Colo.	---	13	277	174	508	---	---	2	25	30	15	---	---	---	---	---	---	---	---	---	11	---	1,055	
Utah	---	12	2,885	1,397	1,143	6	---	290	184	143	45	---	---	---	---	---	---	---	---	---	23	---	6,128	
Oreg.	---	2	2,140	717	699	10	---	50	99	85	9	---	---	---	---	---	---	---	---	---	31	---	3,870	
Calif.	---	20	9,109	17,647	10,494	35	120	592	272	1,914	69	3	---	---	---	---	---	---	---	---	8,275	---	48,550	

1/ Combined to avoid disclosure of individual operations.

Fryer-Roaster Turkeys: Slaughtered under Federal Inspection, by regions and selected States, September 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight inspected	Total pounds certified		Post-mortem condemnations				
		(live weight)			(Ready-to-cook wt.)		Pounds (NYD)		Percent		
		1961	1962		1961	1962	1961	1962	1961	1962	
		1,000	1,000	Pounds	Pounds	1,000	1,000	1,000	1,000	Percent	Percent
N. Atl. 3/	Thou.	Thou.									
E. N. Cent.	6	58	71	11.83	68	304	6	---	---	1.47	
E. N. Cent.	344	291	3,186	2,617	8.99	2,510	24	22	0.77	1.02	
W. N. Cent.	465	398	4,210	3,383	9.05	3,325	41	43	1.14	1.35	
S. Atl.	704	402	4,726	3,306	6.71	3,437	75	163	3.84	2.52	
S. Cent.	53	64	443	530	8.36	350	4	2	.50	.84	
West.	84	70	733	533	7.61	402	18	6	.91	3.76	
U. S.	1,656	1,283	13,369	10,774	8.07	8,296	168	236	1.96	1.73	
Ohio	58	75	500	657	8.67	386	5	2	.46	.84	
Wis.	286	200	2,686	1,816	9.40	2,124	16	20	.85	.98	
Minn.	307	333	2,861	2,853	9.32	2,244	37	34	1.32	1.44	
Iowa	73	30	594	244	8.19	192	3	3	.55	1.37	
Va.	504	398	3,983	3,279	7.91	2,431	75	152	4.24	2.55	
Ark.	50	47	420	382	8.47	302	3	2	.41	.69	
Calif.	69	46	600	353	7.74	259	18	6	1.28	5.59	

Fryer-Roaster Turkeys: Number condemned post-mortem by cause, by regions and selected States, September 1962

Region and State	Tuber- :culosis:cosis		Leu- :cemia		Septi- :cemia		Airsac- :culitis		Inflam- :matory		Tumors		Para- :sites		Bruises		Cadaver- :inflation		Contam- :scald		Over- :position		Decom- :position		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	27	419	22	25	---	---	---	---	---	---	---	---	---	---	2	32	33	---	---	---	---	---	---	---	---	---	560
E. N. Cent.	---	8	473	569	264	3	3	3	23	23	181	92	2	0	746	---	126	323	58	2	1	1,365	---	---	---	---	2,364	
W. N. Cent.	---	3	1,305	1,101	61	1	---	---	59	59	126	323	1	---	---	---	168	102	2	---	---	---	---	---	---	---	4,406	
S. Atl.	---	6	4,606	2,102	610	1	---	---	13	13	---	---	---	---	---	---	7	88	---	---	---	---	---	---	---	---	7,610	
S. Cent.	---	5	178	63	21	7	---	---	6	6	---	---	---	---	---	---	19	46	---	---	---	---	---	---	---	---	422	
West.	---	5	708	1,353	110	7	---	---	44	44	---	---	---	---	---	---	---	---	3	---	---	---	---	---	---	---	2,624	
U. S.	---	54	7,689	5,210	1,091	21	4	4	147	147	533	684	65	1	2,487	---	---	---	65	1	---	---	---	---	---	---	17,986	
Ohio	---	2	222	10	81	1	3	3	4	4	---	---	---	---	---	---	64	40	1	---	---	---	---	---	---	---	---	485
Wis.	---	6	218	255	181	2	---	---	19	19	111	39	1	---	---	---	111	39	1	---	---	---	---	---	---	---	1,519	
Minn.	---	3	1,027	1,005	50	1	---	---	52	52	113	291	1	---	---	---	113	291	52	1	---	---	---	---	---	---	3,910	
Iowa	---	---	175	43	2	2	---	---	6	6	---	---	---	---	---	---	8	17	6	---	---	---	---	---	---	---	---	289
Va.	---	6	4,605	2,102	609	1	---	---	12	12	---	---	---	---	---	---	164	100	1	---	---	---	---	---	---	---	---	7,600
Ark.	---	5	122	43	8	---	---	---	5	5	---	---	---	---	---	---	7	63	---	---	---	---	---	---	---	---	---	297
Calif.	---	5	681	1,348	98	7	---	---	38	38	---	---	---	---	---	---	17	32	3	---	---	---	---	---	---	---	---	2,558

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds.

Old turkeys (breeders): Slaughtered under Federal inspection, by regions and selected States, September 1961 and 1962

Region and State	Number inspected	Pounds			Average			Total pounds			Post-mortem condemnations					
		inspected			live weight			certified								
		1961	1962	1,000 pounds	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	Percent	Percent
N. Atl. 3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	13	12	219	3	18	232	27.64	24.30	2	14	---	---	---	---	---	---
W. N. Cent.	59	19	905	277	15.34	14.58	173	184	173	184	4	3	4	3	2.03	1.44
S. Atl.	4	5	73	93	18.25	18.60	725	219	725	219	16	5	16	5	1.97	2.01
S. Cent. 3/	4	7	94	146	23.50	20.86	58	75	58	75	2	2	2	2	3.05	2.39
West.	3	1	57	10	19.00	16.14	75	116	75	116	---	3	---	3	---	2.28
U. S.	83	44	1,351	776	16.28	17.64	46	7	46	7	1	1	1	1	1.98	11.85
Ohio 3/	5	1	82	12	16.94	14.19	1,079	615	1,079	615	23	14	23	14	1.90	2.01
Wis.	8	11	137	215	18.00	18.83	66	10	66	10	1	---	---	---	1.03	---
Minn.	44	17	688	247	15.75	14.21	107	170	107	170	3	3	14	4	2.54	1.61
Iowa 4/	13	---	191	---	14.87	---	550	197	550	197	14	---	---	---	2.25	1.81
							154	---	154	---	2	---	---	---	1.06	---

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, September 1962

Region and State	:Tuber- :culosis:		:Leu- :cosis:		:Septi- :cemia:		:Airsac- :culitis:		:Inflam- :matory:		:Tumor		:Para- :sites:		:Bruises		:Cadaver- :ination:		:Contam- :ination:		:Over- :scald:		:Decom- :position:		:Other		: Total	
	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.		
N. Atl.	---	---	---	---	3	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4
E. N. Cent.	---	2	12	63	135	102	23	17	23	1	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	43	141
W. N. Cent.	---	6	135	102	12	2	1	23	1	---	---	---	---	---	7	8	---	---	---	---	---	2	---	---	---	50	341	
S. Atl.	---	---	---	---	16	52	28	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	24	40
S. Cent.	---	---	---	---	---	9	12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	10	135
West.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	53	76
U. S.	---	8	178	228	82	82	1	---	---	---	---	---	---	---	8	39	11	---	---	---	---	2	---	---	---	180	737	
Ohio	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1
Wis.	---	2	8	63	91	74	23	17	---	---	---	---	---	---	1	---	3	---	---	---	---	---	---	---	---	---	43	137
Minn.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5	6	7	---	---	---	---	2	---	---	---	---	40	249

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS



Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.